



STOVES 2022

# STOVES

THE LAKES	System	Page
Grisedale, Loughrigg, Skiddaw, Derwent	MF136	4 - 5
TINDERBOX	System	Page
Wood Range	MF137	6 - 7
Multifuel Range	MF137	8 - 9
Log Box Range	MF137	10 - 11
FlickrFLAME	System	Page
Small, Medium, Large	MF139	12 - 13
SOLWAY	System	Page
Small, Medium, Large	MF141	14 - 15
OVALE	System	Page
Low, Low with Door, Tall, Tall on Pedestal	MF144	16 - 17
Technical information		Page
Stove dimensions and Energy labels		20 - 21



## WOODBURNING & MULTIFUEL STOVE RANGE



With over ten years experience designing woodburning and multifuel stoves we are pleased to offer a comprehensive range of premium quality EcoDesign ready roomheating products.

Designed in Britain and engineered from the ground up to meet the needs of modern room heating, and all the latest and future environmental standards.

We offer a diverse range of stoves manufactured to impeccable standards, each range of stoves offers its own distinct style and character. Whichever you choose, all of our stoves are built for a lifetime of dependable use.

Built with the finest quality materials. Doors shut reassuringly to form an airtight seal, and air controls slide home both easily and responsively - year after year. Cast iron and heavy gauge steel are used across our ranges to ensure each stove is built to the highest tolerances.

Possessing excellent thermal qualities, cast iron allows for the casting of intricate designs, making it perfect for traditional stoves. Heavy gauge steel is also an outstanding choice for stove construction, offering greater scope for design thanks to its versatile nature.

Featuring large ceramic glass door panels, you will enjoy a stunning view of the fire, especially as the glass is continually swept clear of combustion deposits by a sophisticated airwash system.

Cleanburn technology and lined fireboxes ensure that you get the maximum efficiency from your fuel supplies - whether you choose to burn wood or solid fuel.

### MULTIFUEL

Multifuel stoves can burn a variety of fuels - as their name suggests. The freedom to choose your fuel is convenient and they are as efficient as wood-burning stoves, delivering remarkable levels of energy efficiency ratings of over 80%.

Multifuel stoves work by creating a controlled environment in which different types of fuel help burn more efficiently and by keeping waste gases within the stove for longer and at hotter temperatures.

## AIR OUTSIDE

Many of our stoves can be connected to a direct air supply. This allows combustion air to be drawn into the stove directly from outside your home. Our direct air kit is designed for optimum performance with our stoves.



# The Lakes

A+



Smoke Control Area Exempt



Hearth From Distance



Easy Use Operation



Self-cleaning Window



Tertiary Air System

AIR OUTSIDE OPTIONAL



## Skiddaw

136-SKIDDAW



## Grisedale

136-GRISEDAL



## Loughrigg

136-LOUHRIGG



## Derwent

136-DERWENT





**Grisedale**

136-GRISEDALE



**Skiddaw**

136-SKIDDAW



**Loughrigg**

136-LOUGHRIGG



**Derwent**

136-DERWENT

<b>Fuel</b>	Wood	<b>Fuel</b>	Wood	<b>Fuel</b>	Wood	<b>Fuel</b>	Multi-fuel
<b>kW</b>	5	<b>kW</b>	4.9	<b>kW</b>	5	<b>kW</b>	5
<b>Efficiency</b>	80.4%	<b>Efficiency</b>	85.1%	<b>Efficiency</b>	82.7%	<b>Efficiency</b>	80.7%
<b>Flue size</b>	125mm	<b>Flue size</b>	125mm	<b>Flue size</b>	125mm	<b>Flue size</b>	125mm
<b>Outlet</b>	Top & rear	<b>Outlet</b>	Top & rear	<b>Outlet</b>	Top & rear	<b>Outlet</b>	Top & rear
<b>Outside air</b>	Optional	<b>Outside air</b>	Optional	<b>Outside air</b>	Optional	<b>Outside air</b>	No
<b>Materials</b>	Steel body, cast iron door	<b>Materials</b>	Steel body, cast iron door	<b>Materials</b>	Steel body, cast iron door	<b>Materials</b>	Fully cast iron
<b>Weight</b>	76kg	<b>Weight</b>	64kg	<b>Weight</b>	65kg	<b>Weight</b>	65kg
<b>Height</b>	590mm	<b>Height</b>	530mm	<b>Height</b>	494mm	<b>Height</b>	502mm
<b>Width</b>	490mm	<b>Width</b>	410mm	<b>Width</b>	446mm	<b>Width</b>	438mm
<b>Depth</b>	332mm	<b>Depth</b>	332mm	<b>Depth</b>	332mm	<b>Depth</b>	283mm

Distance to combustibles	
<b>Back</b>	250mm
<b>Sides</b>	400mm
Distance to non-combustibles	
<b>Back</b>	50mm
<b>Sides</b>	75mm
Hearth projection	
<b>Front</b>	400mm
<b>Sides</b>	150mm
Distance to furniture	
<b>Front</b>	1075mm
Suitable for 12mm hearth	
Yes	

Distance to combustibles	
<b>Back</b>	250mm
<b>Sides</b>	400mm
Distance to non-combustibles	
<b>Back</b>	50mm
<b>Sides</b>	75mm
Hearth projection	
<b>Front</b>	400mm
<b>Sides</b>	150mm
Distance to furniture	
<b>Front</b>	1075mm
Suitable for 12mm hearth	
Yes	

Distance to combustibles	
<b>Back</b>	300mm
<b>Sides</b>	400mm
Distance to non-combustibles	
<b>Back</b>	50mm
<b>Sides</b>	75mm
Hearth projection	
<b>Front</b>	400mm
<b>Sides</b>	150mm
Distance to furniture	
<b>Front</b>	1075mm
Suitable for 12mm hearth	
Yes	

Distance to combustibles	
<b>Back</b>	850mm
<b>Sides</b>	600mm
Distance to non-combustibles	
<b>Back</b>	50mm
<b>Sides</b>	75mm
Hearth projection	
<b>Front</b>	400mm
<b>Sides</b>	150mm
Distance to furniture	
<b>Front</b>	1075mm
Suitable for 12mm hearth	
Yes	

# Tinderbox



Smoke Control Area Exempt



Hearth From Distance



Easy Use Operation



Self-cleaning Window



Tertiary Air System


**AIR**  
OUTSIDE  
OPTIONAL



Large  
137-L-TINDERBOX



Medium  
137-M-TINDERBOX




Tall  
137-T-TINDERBOX



Small  
137-S-TINDERBOX





**Small**

137-S-TINDERBOX



**Medium**

137-M-TINDERBOX



**Large**

137-L-TINDERBOX



**Tall**

137-T-TINDERBOX

<b>Fuel</b>	Wood	<b>Fuel</b>	Wood	<b>Fuel</b>	Wood	<b>Fuel</b>	Wood
<b>kW</b>	4.9	<b>kW</b>	5	<b>kW</b>	5	<b>kW</b>	5
<b>Efficiency</b>	82.7%	<b>Efficiency</b>	85.1%	<b>Efficiency</b>	80.4%	<b>Efficiency</b>	80.4%
<b>Flue size</b>	125mm						
<b>Outlet</b>	Top & rear						
<b>Outside air</b>	Optional						
<b>Materials</b>	Steel body, cast iron door						
<b>Weight</b>	65kg	<b>Weight</b>	64kg	<b>Weight</b>	76kg	<b>Weight</b>	80kg
<b>Height</b>	494mm	<b>Height</b>	530mm	<b>Height</b>	590mm	<b>Height</b>	694mm
<b>Width</b>	446mm	<b>Width</b>	410mm	<b>Width</b>	490mm	<b>Width</b>	490mm
<b>Depth</b>	377mm	<b>Depth</b>	352mm	<b>Depth</b>	382mm	<b>Depth</b>	382mm

Distance to combustibles

<b>Back</b>	300mm
<b>Sides</b>	400mm

Distance to non-combustibles

<b>Back</b>	50mm
<b>Sides</b>	75mm

Hearth projection

<b>Front</b>	400mm
<b>Sides</b>	150mm

Distance to furniture

<b>Front</b>	1075mm
--------------	--------

Suitable for 12mm hearth

Yes
-----

Distance to combustibles

<b>Back</b>	250mm
<b>Sides</b>	400mm

Distance to non-combustibles

<b>Back</b>	50mm
<b>Sides</b>	75mm

Hearth projection

<b>Front</b>	400mm
<b>Sides</b>	150mm

Distance to furniture

<b>Front</b>	1075mm
--------------	--------

Suitable for 12mm hearth

Yes
-----

Distance to combustibles

<b>Back</b>	250mm
<b>Sides</b>	400mm

Distance to non-combustibles

<b>Back</b>	50mm
<b>Sides</b>	75mm

Hearth projection

<b>Front</b>	400mm
<b>Sides</b>	150mm

Distance to furniture

<b>Front</b>	1075mm
--------------	--------

Suitable for 12mm hearth

Yes
-----

Distance to combustibles

<b>Back</b>	250mm
<b>Sides</b>	400mm

Distance to non-combustibles

<b>Back</b>	50mm
<b>Sides</b>	75mm

Hearth projection

<b>Front</b>	400mm
<b>Sides</b>	150mm

Distance to furniture

<b>Front</b>	1075mm
--------------	--------

Suitable for 12mm hearth

Yes
-----

# Tinderbox Multifuel



Smoke Control Area Exempt



Hearth From Distance



Easy Use Operation



Self-cleaning Window



Tertiary Air System



OPTIONAL



Large  
137-LMF-TBOX




Medium  
137-MMF-TBOX




Small  
137-SMF-TBOX




# Tinderbox Multifuel



**Small**  
137-SMF-TBOX



**Medium**  
137-MMF-TBOX



**Large**  
137-LMF-TBOX

Fuel	Multi-fuel
kW	5
Efficiency	83.0%

Flue size	125mm
Outlet	Top & rear
Outside air	Optional
Materials	Steel body, cast iron door

Weight	59kg
Height	548mm
Width	370mm
Depth	319mm

Distance to combustibles	
Back	350mm
Sides	600mm

Distance to non-combustibles	
Back	50mm
Sides	75mm

Hearth projection	
Front	300mm
Sides	150mm

Distance to furniture	
Front	1075mm
Suitable for 12mm hearth	
Yes	

Fuel	Multi-fuel
kW	5
Efficiency	82.5%

Flue size	125mm
Outlet	Top & rear
Outside air	Optional
Materials	Steel body, cast iron door

Weight	71kg
Height	614mm
Width	420mm
Depth	334mm

Distance to combustibles	
Back	450mm
Sides	600mm

Distance to non-combustibles	
Back	50mm
Sides	75mm

Hearth projection	
Front	400mm
Sides	150mm

Distance to furniture	
Front	1075mm
Suitable for 12mm hearth	
Yes	

Fuel	Multi-fuel
kW	5
Efficiency	81.3%

Flue size	125mm
Outlet	Top & rear
Outside air	Optional
Materials	Steel body, cast iron door

Weight	81kg
Height	615mm
Width	490mm
Depth	343mm

Distance to combustibles	
Back	500mm
Sides	600mm

Distance to non-combustibles	
Back	50mm
Sides	75mm

Hearth projection	
Front	400mm
Sides	150mm

Distance to furniture	
Front	1075mm
Suitable for 12mm hearth	
Yes	

# Tinderbox on Log Box



Smoke Control Area Exempt



Hearth From Distance



Easy Use Operation



Self-cleaning Window



Tertiary Air System

**AIR**  
OUTSIDE  
OPTIONAL



## Large

137-LLG-TBOX



## Medium

137-MLG-TBOX




## Small

137-SLG-TBOX



# Tinderbox on Log Box



**Small**

137-SLG-TBOX



**Medium**

137-MLG-TBOX



**Large**

137-LLG-TBOX



<b>Fuel</b>	Wood
<b>kW</b>	4.9
<b>Efficiency</b>	82.7%
<b>Flue size</b>	125mm
<b>Outlet</b>	Top & rear
<b>Outside air</b>	Optional
<b>Materials</b>	Steel body, cast iron door
<b>Weight</b>	76kg
<b>Height</b>	845mm
<b>Width</b>	450mm
<b>Depth</b>	355mm

Distance to combustibles	
<b>Back</b>	300mm
<b>Sides</b>	400mm
Distance to non-combustibles	
<b>Back</b>	50mm
<b>Sides</b>	75mm
Hearth projection	
<b>Front</b>	400mm
<b>Sides</b>	150mm
Distance to furniture	
<b>Front</b>	1075mm
Suitable for 12mm hearth	
Yes	

<b>Fuel</b>	Wood
<b>kW</b>	5
<b>Efficiency</b>	85.1%
<b>Flue size</b>	125mm
<b>Outlet</b>	Top & rear
<b>Outside air</b>	Optional
<b>Materials</b>	Steel body, cast iron door
<b>Weight</b>	76kg
<b>Height</b>	925mm
<b>Width</b>	410mm
<b>Depth</b>	350mm

Distance to combustibles	
<b>Back</b>	250mm
<b>Sides</b>	400mm
Distance to non-combustibles	
<b>Back</b>	50mm
<b>Sides</b>	75mm
Hearth projection	
<b>Front</b>	400mm
<b>Sides</b>	150mm
Distance to furniture	
<b>Front</b>	1075mm
Suitable for 12mm hearth	
Yes	

<b>Fuel</b>	Wood
<b>kW</b>	5
<b>Efficiency</b>	80.4%
<b>Flue size</b>	125mm
<b>Outlet</b>	Top & rear
<b>Outside air</b>	Optional
<b>Materials</b>	Steel body, cast iron door
<b>Weight</b>	94kg
<b>Height</b>	980mm
<b>Width</b>	490mm
<b>Depth</b>	360mm

Distance to combustibles	
<b>Back</b>	250mm
<b>Sides</b>	400mm
Distance to non-combustibles	
<b>Back</b>	50mm
<b>Sides</b>	75mm
Hearth projection	
<b>Front</b>	400mm
<b>Sides</b>	150mm
Distance to furniture	
<b>Front</b>	1075mm
Suitable for 12mm hearth	
Yes	

# FlickrFLAME



Smoke Control Area Exempt



Hearth From Distance



Easy Use Operation



Self-cleaning Window



Tertiary Air System

**AIR**  
OUTSIDE  
OPTIONAL



## Large

139-L-FLICKRFL



## Medium


139-M-FLICKRFL



## Small

139-S-FLICKRFL





**Small**  
139-S-FLICKRFL



**Medium**  
139-M-FLICKRFL



**Large**  
139-L-FLICKRFL



Fuel	Wood
kW	4.9
Efficiency	82.7%

Flue size	125mm
Outlet	Top & rear
Outside air	Optional
Materials	Steel body, cast iron door

Weight	65kg
Height	494mm
Width	446mm
Depth	353mm

Distance to combustibles	
Back	300mm
Sides	400mm

Distance to non-combustibles	
Back	50mm
Sides	75mm

Hearth projection	
Front	400mm
Side	150mm

Distance to furniture	
Front	1075mm
Suitable for 12mm hearth	
Yes	

Fuel	Wood
kW	5
Efficiency	85.1%

Flue size	125mm
Outlet	Top & rear
Outside air	Optional
Materials	Steel body, cast iron door

Weight	64kg
Height	530mm
Width	410mm
Depth	330mm

Distance to combustibles	
Back	250mm
Sides	400mm

Distance to non-combustibles	
Back	50mm
Sides	75mm

Hearth projection	
Front	400mm
Side	150mm

Distance to furniture	
Front	1075mm
Suitable for 12mm hearth	
Yes	

Fuel	Wood
kW	5
Efficiency	80.4%

Flue size	125mm
Outlet	Top & rear
Outside air	Optional
Materials	Steel body, cast iron door

Weight	76kg
Height	590mm
Width	490mm
Depth	353mm

Distance to combustibles	
Back	250mm
Sides	400mm

Distance to non-combustibles	
Back	50mm
Sides	75mm

Hearth projection	
Front	400mm
Side	150mm

Distance to furniture	
Front	1075mm
Suitable for 12mm hearth	
Yes	

# Solway



Smoke Control Area Exempt



Hearth From Distance



Easy Use Operation



Self-cleaning Window



Tertiary Air System



INCLUDED



Large  
141-L-SOLWAY



Medium  
141-M-SOLWAY




Small  
141-S-SOLWAY






## Small

141-S-SOLWAY



## Medium

141-M-SOLWAY



## Large

141-L-SOLWAY

<b>Fuel</b>	Multi-fuel
<b>kW</b>	4.1
<b>Efficiency</b>	75.4%

<b>Flue size</b>	125mm
<b>Outlet</b>	Top & rear
<b>Outside air</b>	Included

<b>Materials</b>	Steel body, cast iron door
------------------	----------------------------

<b>Weight</b>	59kg
<b>Height</b>	487mm
<b>Width</b>	350mm
<b>Depth</b>	230mm

Distance to combustibles	
<b>Back</b>	500mm
<b>Sides</b>	600mm

Distance to non-combustibles	
<b>Back</b>	100mm
<b>Sides</b>	100mm

Hearth projection	
<b>Front</b>	500mm
<b>Sides</b>	200mm

Distance to furniture	
<b>Front</b>	500mm
Suitable for 12mm hearth	

No

<b>Fuel</b>	Multi-fuel
<b>kW</b>	5.0
<b>Efficiency</b>	75.6%

<b>Flue size</b>	125mm
<b>Outlet</b>	Top & rear
<b>Outside air</b>	Included

<b>Materials</b>	Steel body, cast iron door
------------------	----------------------------

<b>Weight</b>	76kg
<b>Height</b>	487mm
<b>Width</b>	350mm
<b>Depth</b>	280mm

Distance to combustibles	
<b>Back</b>	500mm
<b>Sides</b>	600mm

Distance to non-combustibles	
<b>Back</b>	100mm
<b>Sides</b>	100mm

Hearth projection	
<b>Front</b>	500mm
<b>Sides</b>	200mm

Distance to furniture	
<b>Front</b>	500mm
Suitable for 12mm hearth	

No

<b>Fuel</b>	Multi-fuel
<b>kW</b>	8
<b>Efficiency</b>	79.6%

<b>Flue size</b>	125mm
<b>Outlet</b>	Top & rear
<b>Outside air</b>	Included

<b>Materials</b>	Steel body, cast iron door
------------------	----------------------------

<b>Weight</b>	89kg
<b>Height</b>	530mm
<b>Width</b>	470mm
<b>Depth</b>	300mm

Distance to combustibles	
<b>Back</b>	750mm
<b>Sides</b>	500mm

Distance to non-combustibles	
<b>Back</b>	100mm
<b>Sides</b>	100mm

Hearth projection	
<b>Front</b>	800mm
<b>Sides</b>	200mm

Distance to furniture	
<b>Front</b>	800mm
Suitable for 12mm hearth	

No

# Ovale



Smoke Control Area Exempt



Hearth From Distance



Easy Use Operation



Self-cleaning Window



Tertiary Air System

**AIR**  
OUTSIDE  
INCLUDED



## Tall on Pedestal

144-OVALE-P



## Tall

144-OVALE-T



## Low

144-OVALE-L



## Low with Door

144-OVALE-LD





**Low**

144-OVALE-L



**Low with door**

144-OVALE-LD



**Tall**

144-OVALE-T



**Tall on Pedestal**

144-OVALE-P

Fuel	Wood	Fuel	Wood	Fuel	Wood	Fuel	Wood
kW	5	kW	5	kW	5	kW	5
Efficiency	82.9%	Efficiency	82.9%	Efficiency	82.9%	Efficiency	82.9%
Flue size	125mm						
Outlet	Top & rear						
Outside air	Included						
Materials	Steel body and door						
Weight	85kg	Weight	85kg	Weight	85kg	Weight	85kg
Height	920mm	Height	920mm	Height	1000mm	Height	1000mm
Width	472mm	Width	472mm	Width	472mm	Width	472mm
Depth	362mm	Depth	362mm	Depth	362mm	Depth	362mm
Distance to combustibles Insulated flue / Non Insulated flue		Distance to combustibles Insulated flue / Non Insulated flue		Distance to combustibles Insulated flue / Non Insulated flue		Distance to combustibles Insulated flue / Non Insulated flue	
<b>Back</b>	150/250mm	<b>Back</b>	150/250mm	<b>Back</b>	150/250mm	<b>Back</b>	150/250mm
<b>Sides</b>	200/250mm	<b>Sides</b>	200/250mm	<b>Sides</b>	200/250mm	<b>Sides</b>	200/250mm
Distance to non-combustibles		Distance to non-combustibles		Distance to non-combustibles		Distance to non-combustibles	
<b>Back</b>	50mm	<b>Back</b>	50mm	<b>Back</b>	50mm	<b>Back</b>	50mm
<b>Sides</b>	75mm	<b>Sides</b>	75mm	<b>Sides</b>	75mm	<b>Sides</b>	75mm
Hearth projection		Hearth projection		Hearth projection		Hearth projection	
<b>Front</b>	400mm	<b>Front</b>	400mm	<b>Front</b>	400mm	<b>Front</b>	400mm
<b>Sides</b>	150mm	<b>Sides</b>	150mm	<b>Sides</b>	150mm	<b>Sides</b>	150mm
Distance to furniture		Distance to furniture		Distance to furniture		Distance to furniture	
<b>Front</b>	1075mm	<b>Front</b>	1075mm	<b>Front</b>	1075mm	<b>Front</b>	1075mm
Suitable for 12mm hearth		Suitable for 12mm hearth		Suitable for 12mm hearth		Suitable for 12mm hearth	
Yes		Yes		Yes		Yes	

Coming soon



# Quadro

Introducing the Quadro.  
The newest addition to the  
contemporary wood stove  
range.




## Firecracker - Coming soon




## Firepod - Coming soon




Grisedale & Large FlickrFLAME




Skiddaw & Medium FlickrFLAME




Loughrigg & Small FlickrFLAME




Derwent




Large Tinderbox




Tall Tinderbox




Medium Tinderbox




Small Tinderbox




Large Tinderbox Multifuel




Medium Tinderbox Multifuel




Small Tinderbox Multifuel




Large Tinderbox on Log Box




Medium Tinderbox on Log Box




Small Tinderbox on Log Box




Large Solway




Medium Solway




Small Solway




Ovale Tall on Pedestal




Ovale Tall with Door



Ovale Low with Door



Ovale Low



# TRADING TERMS AND CONDITIONS

## CONDITIONS OF TRADING

### 1. Definitions:

'The Company' shall mean Mi-Fires Ltd and Taymin Ltd and any trading name under those companies. 'The Buyer' means any persons or body corporate who accept a quotation of the Seller.

'Goods' shall mean all the Products, Articles, Material and Components supplied or otherwise dealt in the Company.

### 2. Acceptance:

(a) All orders are subject to these Terms and Conditions unless otherwise agreed by a director of the Company in writing. No terms or conditions forwarded by the Buyer, nor verbal representations, warranties guarantees or other statements made by or on behalf of the Company, shall be binding on the Company unless confirmed by a director of the Company in writing.

(b) Notwithstanding acceptance of the Buyer's order the Company can give no warranty or undertaking that the Goods are available and reserves the right to cancel the order if it should be unable to effect the order within a reasonable period of time for any reason beyond its control and in such a case the Company shall not be liable to compensate the Buyer.

### 3. Quotations & Published Prices:

(a) Any quotation or published price is subject to alteration or withdrawal without prior notice as a result of fluctuations in exchange rates or labour, materials, transport or other costs, beyond the control of the Company, so that the Company has the right to adjust its prices to those prevailing at the time of dispatch.

### 4. Cancellation / Variations and Returns:

(i) Cancellation of an order cannot be accepted or goods returned for credit unless previously agreed to in writing by the Seller and in the case of goods returned for credit, proof of the original purchase is provided in the form of a delivery note or invoice.

(ii) No variation of any order shall be binding upon the Seller unless the same shall be agreed in writing.

(iii) In the event that the Seller agrees in writing to accept the return of stock items, a charge of 20% of invoice price will be made, such sum representing a reasonable pre-estimate of the Seller's average costs of collection and administration. Stock items means items normally held in stock by the Seller.

(iv) Items specially ordered or manufactured or not normally held by the Seller as stock and will not be accepted for return and credit.

(v) Any goods accepted by the Seller for credit must be returned in re-saleable condition.

(vi) Where the Buyer deals as a consumer he shall be entitled to cancel the contract within seven working days following the placing of the order by sending written notification to the seller at Taymin Business Park, Mitcham Road, Blackpool, Lancashire, FY4 4QN or by sending a fax to 01253 600061 or an email to sales@mi-flues.com

### 5. Delivery:

(a) Except when order value is less than agreed delivery charge, the Goods will be delivered free of charge to the delivery address given with the Buyer's order and unless there shall be any specific instructions as to whom the consignment should be delivered and whose signature shall be given by way of acknowledgement of receipt of the Goods then the Company shall be obliged only to accept the signature of an apparently authorised person.

(b) The Company cannot permit Goods to be left at any delivery address otherwise than in exchange for a signed receipt nor can such receipt be qualified in any way whatsoever other than to identify a missing item or by describing the damage to any item alleged to be found damaged on delivery.

(c) The Company shall only be obliged to deliver the Goods to the destination given with the order unless such destination is changed by notification in writing and if on delivery an apparently authorised person shall on behalf of the Buyer provide to the Company's driver a written request to deliver the Goods to an alternative address then the driver may at his discretion honour such a request and this shall be entirely at the Buyer's risk and the Company shall not be responsible for any losses thereby occasioned.

(d) The Company reserves the right to levy an additional charge in respect of delivery where it agrees to a change in the address for delivery of the Goods in the event that the value of the order for such Goods is below a minimum order value as determined by the Company from time to time and notified to the Buyer verbally or in writing.

(e) Times and dates quoted for dispatch or completion represent the Company's best estimates only and are given in good faith, time not being of the essence. In the event of the Buyer failing to take delivery at the appointed time and/or place, the Company shall be entitled to charge for all expenses which may be incurred by reason of such failure. The Company shall have no liability to the Buyer for any late delivery or short delivery.

### 6. Damage or Loss in Transit:

(a) Unless delivery is made by the Company's own transport or personnel, damage or loss in transit will be the responsibility of the carrier. Carrier receipts should be signed unexamined, if so applicable and any Goods broken or damaged in transit should be notified to the

carrier and the company within three days of receipt. Goods should be returned to the Company in the original packing within seven days of clearance by the carrier's inspectors otherwise no claim will be entertained.

(b) Any alleged shortages or defects must also be notified to the Company in writing within three days of receipt of Goods. Should Goods not be delivered within seven working days of date of receipt of invoice for the Goods, immediate notice in writing must be given to the carrier and the Company. In certain circumstances, the Company may agree to the return of Goods for credit but any agreement to accept such returns will always be subject to such Goods being deemed by the Company upon inspection at the Company's premises, to be in a re-saleable condition. In the event of this not being the case, such Goods will be returned to the original delivery address and no credit will be issued.

### 7. Transfer of Risk and Passage of Title:

(a) Subject to 5(a) but notwithstanding any other provisions hereof, risk in the Goods shall pass to the Buyer at the moment the Goods leave the Company's premises.

(b) Notwithstanding the provisions of sub clause (a) hereof, all property legal and equitable in the Goods or in the case of contracts for the sale or supply of Goods to a Buyer in Scotland, all property title and ownership in the Goods, shall remain in the Company and shall not pass to the Buyer unless and until the moment of payment of the due price of the Goods together with any interest which may have accrued thereon pursuant to Clause 8. To assist the Company in asserting its property rights hereby retained, the Buyer shall (at the Buyer's expense) so store keep and record the Goods as to facilitate their recognition and identification and shall permit the Company to enter the Buyer's premises and re-take such retained Goods.

(c) If the Buyer (i) fails to make any payment to the Company when due, or (ii) proposes to compound with its creditors, applies for an interim order under the Insolvency 1986 or has a bankruptcy petition presented against it or (iii) being a company, enters into voluntary or compulsory liquidation, has a receiver, an administrator or administrative receiver appointed over all or any of its assets or takes or suffers similar action, or if the Company has reasonable cause to believe that any of these events is likely to occur then the Company shall have the right, without prejudice to any other remedies:

- To enter without prior notice, any premises of the Buyer where Goods owned by the Company may be and to repossess and dispose of any Goods owned by it so as to discharge any sums owed to it by the Buyer under this or any other contract;

- To require the Buyer not to resell or part with possession of any Goods owned by the Company until the Buyer has paid in full all sums due to the Company under this or any other contract;

- To withhold delivery of any undelivered Goods and stop any Goods in transit.

(d) The purpose of each contract of sale to which these Terms and Conditions apply is to provide the Buyer with stock for the Buyer's own business as seller of such stock and not to alter them so that they become or are absorbed into some new thing. The Buyer shall deal with the Goods only and strictly in a manner consistent with this purpose.

### 8. Warranties & Guarantees:

(a) The Company warrants that the Goods are a reasonable quality and will be delivered in a reasonable condition. Any complaint relating to the quality or condition or description of the Goods should be notified to the Company within 3 days of receipt of the Goods and if the Company so demands the Goods will be returned to the Company for examination whereupon if the complaint is found to be justified then the Goods will be replaced free of charge.

(b) Any complaints as to condition or quality relating to part of an order will not affect the liability of the Buyer to make payment within the stipulated time in respect of the remainder of the order. No claim by the Buyer in respect of the Goods shall be accepted or deemed to have been accepted by the Company save by an acceptance in writing signed by a director of the Company. For the avoidance of doubt no employee representative or agent of the Company is authorised to make any representations concerning the Goods or these Terms and Conditions save as agreed in writing and signed by a director of the Company and the Company shall not be liable for any such representations which were not so confirmed.

(c) The Company gives no guarantees or warranties whether specific or implied that the Goods are fit for the purpose for which the Buyer intends to use such Goods whether known or unknown to the Company at the time of the Buyer placing the order other than they are fit for the particular purpose or purposes specified by the manufacturer of the Goods in its literature published from time to time or contained inside the packaging of the Goods.

(d) All other warranties terms and conditions relating to the fitness for purpose of the Goods or otherwise and whether implied by statute or common law or otherwise are hereby excluded to the extent permitted by law.

(e) Notwithstanding anything contained in these Terms and Conditions no liability for death or personal injury caused by negligence of the Company is excluded or

limited in any way whatsoever.

### 9. Settlement Terms:

(a) Subject to any special terms agreed in writing between the Seller and the Buyer. The payment shall be made in full without set-off or counterclaim within 30 days of delivery of the Goods and the Company shall have the right to cancel or suspend any further orders for Goods in the event that earlier invoices are overdue at the time a further order is received or due to be dispatched.

(b) After the expiration of 30 days from delivery of the Goods the Company shall be entitled to charge interest on the outstanding balance at the rate of 24% per annum from that date until the date of settlement.

(c) In the event that payment is not made within 30 days of delivery of the Goods (without prejudice to any other rights or remedies of the Company) the Company shall be entitled to charge to the Buyer all costs expenses and other liabilities incurred by the Company in obtaining payment including without prejudice to the generality of the above the costs of any collection agency instructed by the Company

### 10. Insolvency of Buyer:

(i) This clause applies if:

(a) the Buyer makes any involuntary arrangement with its creditors or (being an individual or firm) becomes bankrupt or (being a company) becomes subject to an administration order or goes into liquidation (otherwise than for the purpose of amalgamation or reconstruction); or (b) an encumbrance takes possession or a receiver is appointed of any of the property or assets of the Buyer; or (c) the Buyer ceases or threatens to cease to carry on business; or

(d) the Seller reasonably apprehends that any of the events mentioned above is about to occur in relation to the Buyer and notifies the Buyer accordingly.

(ii) If this clause applies then, without prejudice to any other right or remedy available to the Seller, the Seller shall be entitled to cancel the contract or suspend any further deliveries under the contract without any liability to the Buyer and if the goods have been delivered but not paid for, the price shall become immediately due and payable notwithstanding any previous agreement or arrangement to the contrary.

### 11. Liability:

(i) The Seller's liability whether in respect of one claim or in the aggregate arising out of any contract shall not exceed the purchase price payable under the contract.

(ii) Except as specifically provided in these Conditions, and for death or personal injury resulting from the Seller's negligence, no liability is accepted for any direct or indirect costs, damages or expenses relating to damage to property or injury or loss to any person, firm or company or for any loss of profits or production arising out of or occasioned by any defect in or failure of goods or materials or parts thereof supplied by the Seller.

(iii) The Seller will not be held responsible for unusual wind conditions or turbulence or climatic conditions or geographical conditions which may affect the operation of any chimney and/or appliance. It is for the Buyer to satisfy himself of the suitability of any product intended to be used in any particular location.

(iv) The seller will not be held responsible for opinions expressed by its sales team regarding suitability for installation or performance of its products.

### 12. Jurisdiction:

All orders accepted by the Company for sale and supply of Goods to a Buyer in Scotland and any dispute arising there from shall be governed by Scottish law and subject to the non-exclusive jurisdiction of the Scottish Courts otherwise all orders accepted by the Company shall be governed by English law and subject to the jurisdiction of the English Courts

### 13. Force Majeure:

The Company shall not be deemed to be in breach of contract or otherwise be liable by reason of any delay in performance or non-performance of any of its obligations hereunder to the extent that such delay or non-performance is due to strike lockout, industrial action or any circumstance beyond the reasonable control of the Company.

### 14. Preservation:

Any order placed by the Buyer for Goods from the Company and which is governed by these Terms and Conditions may at the option of the Company be registered into books of Council and Session in Scotland for preservation and execution and the Buyer in placing such an order with the Company shall be deemed by their acceptance of the Terms and Conditions hereof, to have agreed to this.

Terms & Conditions issued January 2016

All Prices stated in this pricelist exclude VAT.

THE LAKES



GRISEDALÉ



SKIDDAW



LOUGHRIGG



DERWENT

TINDERBOX RANGE



WOOD



MULTIFUEL



LOGBOX

FLICKRFLAME



MEDIUM



LARGE



SMALL

SOLWAY



MEDIUM



LARGE



SMALL

OVALE



TALL ON PEDESTAL



LOW



LOW WITH DOOR



TALL



UK DISTRIBUTOR

Mi-Fires Ltd  
Taymin Business Park  
Mitcham Road  
Blackpool, Lancashire  
FY4 4QN

Tel: 01253 600 060  
E-mail: [sales@mi-fires.com](mailto:sales@mi-fires.com)



IRELAND DISTRIBUTOR

Ai-Flues Ltd  
Units 1 & 2  
Syngefield Industrial Estate  
Birr, County Offaly  
Eire

Tel: 057 912 1133  
E-mail: [sales@ai-flues.com](mailto:sales@ai-flues.com)